Tropical Science

Contents and Indexes

1976 Volume 18

Tropical Science

1976 Volume 18

Editors:
Shirley M. Jarman
J. Brian Wills

London Her Majesty's Stationery Office

For The Tropical Products Institute 56/62
Gray's Inn Road, London WC1X 8LU

Notice to readers

The opinions expressed in papers are those of the authors and are not necessarily endorsed by the Tropical Products Institute.

Requests for permission to reprint papers from this journal should be sent to the Editors and to the author(s).

Tropical Science is distributed on behalf of the Tropical Products Institute by **Her Majesty's Stationery Office,** to whom **subscriptions** (£7.44 per annum including postage) should be sent. The address is: Her Majesty's Stationery Office, B5 Subscriptions, P.O. Box 569, London SE1 9NH. Cheques should be made payable to 'Her Majesty's Stationery Office' and crossed.

Microfilm editions of *Tropical Science*, including all volumes published hitherto (1959–76), are obtainable from University Microfilms Ltd, St. John's Road, Tyers Green, Penn, Bucks. Normal size reproductions of out-of-print issues of *Tropical Science* are available from the Johnson Reprint Company Ltd, 24/28 Oval Road, London NW1 7DX.

Tropical Science

Volume 18, 1976

Contents

PAPERS

Wound repair in yam tubers: the dependence of storage procedures on the nature of the wound and its repair. By H.C.Passam, S.J.Read and J.E.Rickard, *Tropical Products Institute, London* *1*

An evaluation of tomato cultivars suitable for paste production in Northern Nigeria. By J.G.Quinn, *Institute for Agricultural Research, Samaru, Nigeria*, and P.C.Crowther, *Tropical Products Institute, London* *13*

Oil and oleoresin of turmeric. By N.Krishnamurthy, A.G.Mathew, E.S.Nambudiri, S.Shivashankar, Y.S.Lewis and C.P.Natarajan, *Central Food Technological Research Institute, Mysore, India* *37*

Preservation of partially-processed hides and skins: a review. Part 1. Raw stock. By J.R.Barlow, *Tropical Products Institute, London* *63*

Preservation of partially-processed hides and skins: a review. Part 2. Limed, pickled, wet-blue and crust material. By J.R.Barlow, *Tropical Products Institute, London* *93*

The mycoflora of sorghum stored in underground pits in Ethiopia. By E.V.Niles, *Pest Infestation Control Laboratory, Slough* *115*

A simple, inexpensive apparatus for the continuous measurement of respiration by oxygen uptake. By D.E.Phillips and H.C.Passam, *Tropical Products Institute, London* *125*

The protein evaluation of cowpea (*Vigna unguiculata*) and benniseed (*Sesamum indicum*) from Sierra Leone. By W.Godfrey-Sam-Aggrey, *Njala University College, Sierra Leone*, B.J.Francis, *Tropical Products Institute, London*, and C.S.Kamara, *Njala University College, Sierra Leone* *147*

Aflatoxin contamination of village milk in Isfahan, Iran. By M.Suzangar, A.Emami and R.Barnett, *Regional Mycotoxin Center and the University, Isfahan, Iran* *155*

Paddy processing in India and Sri Lanka: a review of the case for technological innovation. By Barbara Harriss, *Centre for South Asian Studies, University of Cambridge* *161*

Rabbit production in tropical developing countries: a review. By J.E.Owen, *Tropical Products Institute, London* *203*

Aqueous fractionation of rapeseed. By N.Macfarlane, Elah Shah and Muriel McFarlane, *Tropical Products Institute, London* *211*

Green bananas for cooking: a study of taste-panel preferences between certain clones. By Jane Baldry, *Tropical Products Institute, London*, and F.Diana Dempster, *Banana Board, Kingston, Jamaica* *219*

Some physical and chemical properties of Nigerian sheep wools. By M.S.Kazmi and A.R.Mathieson, *Ahmadu Bello University, Nigeria* *227*

SHORT COMMUNICATION

The significance of *Elasmolomus sordidus* (F.) (Hemiptera-Lygaeidae) attacking harvested groundnuts in The Gambia. By J.A.Conway, *Tropical Products Institute, London* *187*

BOOK REVIEWS *47, 135, 191, 239*

RECENT TPI REPORTS *61, 145, 201, 245*

INDEXES

Subject index *247*
Author index *253*
Book reviews index *255*
List of plates, figures and tables *256*

Subject index

Page numbers marked with an asterisk denote book reviews

Abattoirs, proximity to tanneries, preservation of hides and skins *67*
Absorbates, effects on breaking properties of wool *233–236*
Acid, pickled pelts *97, 112*
Acidity, tomatoes *19–20, 30, 32*
Acremonium spp., sorghum stored in underground pits *117, 118, 121*
Aflatoxin
  groundnuts infested by *Elasmolomus sordidus* *189*
  milk contamination *155–159*
Algeria, rabbits *facing 206*
Alleppey, turmeric cultivar, oil and oleoresin *39–42, 44*
Alternaria solani, tomato disease *14, 18*
Amino acids
  cowpea and benniseed *149–153*
  wool analyses *229, 230–232*
Animals, agriculture **51*
Antigua, rabbits *204*
Apparatus, measurement of respiration by oxygen uptake *125–133*
Arthrinium sp., sorghum stored in underground pits *118, 121*
Aspergillus spp.
  sorghum stored in underground pits *117, 118, 123*
  yam storage *6*
Aspergillus flavus, milk contamination *156*
Autolysis, degradation of hides and skins *66*

Baby food, use of cowpea and benniseed *148*
Bacteria *see also* under specific names
  degradation of hides and skins *66, 77*
Bactericides, hides and skins *68, 90*
Balauchi (sheep), amino acid analyses of wool *230*
Bamboo, basket for rabbits *facing 207*
Bananas
  green, taste preferences *219–225*
  respiration rate *132*
  trade, third world **136*
Basket, for rabbits *facing 207*
Benniseed, protein evaluation *147–154*
Blowflies, damage to hides and skins *73*
Boric acid, preservation of hides and skins *81*
Bran, rice by-product *168*
Bran oil, rice by-product *168*
Brassica juncea see Mustard
Brassica napus see Rapeseed
Brazil, rabbits *204*
Breaking tests, wool fibres *229, 232–235*
Breeding, rabbits *205*
Brining, hides and skins *78, 97*
Busan 31, preservation of hides and skins *83*

Cacao **56*
Calcium hypochlorite, preservation of hides and skins *80*
Calibration, respirometer *128*
Candida spp., sorghum stored in underground pits *117, 119*
Canning **198*
  tomatoes *19*
Carthamus tinctorius see Safflower
Cavendish clones, green bananas, for cooking *219–225*
Cereals, trade, third world **136*
Chaetomium cochliodes, sorghum stored in underground pits *118, 123*
Chemicals, short-term preservation of hides and skins *79*
Chico, tomato cultivar, paste production *13–35*
Chico Grande, tomato cultivar, paste production *13–35*
Chilling, hides and skins *84*
Chlorinated phenols, preservation of hides and skins *82*
Chrome tanning, hides and skins *88, 105*
Cirio 49, tomato cultivar, paste production *13–35*
Cirio 56, tomato cultivar, paste production *13–35*
Cladosporium fulvum, tomato disease *14, 18*

Climate
hides and skins, partially-processed *64*
rabbit production *206*
tomatoes, Northern Nigeria *14–15*
Clones, green bananas for cooking, taste-panel preferences *219–225*
Cocoa **53*
Coffee, trade, third world **137*
Colorimetric determination, preservation of hides and skins *90*
Colour
hides and skins, wet-blue *105*
tomatoes *19–21, 30, 32*
turmeric *42*
Cooking, green bananas *219–225*
Cooling, hides and skins *84*
Co-operatives, agricultural **135*
Costs
fungicides, hides and skins *107, 109*
rice milling and storage *164, 170, 175, 176*
Cotton, wet-processing **194*
Cowpea, protein evaluation *147–154*
Crops
evolution of crop plants **239*
fibre **193*
Crust leathers *88, 108*
Cuddappa, turmeric cultivar, oil and oleoresin *39–42*
Curcuma longa see Turmeric
Curcumin, turmeric *37–45*
Curing
hides and skins *77*
yam storage *1–11*
Cylindrocarpon tonkinense, sorghum stored in underground pits *117, 118*
Cynodon dactylon see Star grass

Dermestes maculatus see Leather beetle
Dioscorea spp. *see* Yams
Dioscorea rotundata, tubers, wound repair *1–11*
Dipping/soaking, hides and skins *69, 75*
Diseases *see also* Pests
rabbits *207*
Dominica, rabbits *204*
Drechslera spp., sorghum stored in underground pits *117, 118*
Drying
hides and skins *71, 73, 96*
rice *173*
Duggirala, tumeric cultivar, oil and oleoresin *39–42*

Ecuador, rabbits *204*
Elasmolomus sordidus, attack on groundnuts *187–190*
Employment, rice mills *183*
Enzymes, autolysis of hides and skins *66*
Erode, turmeric cultivar, oil and oleoresin *39–42*
Escape of domestic stock, rabbits *207*
Ethiopia, sorghum, stored in underground pits *115–124*
Eurotium spp., sorghum stored in underground pits *117, 118, 123*
Extraction, aqueous, of rapeseed *211–217*

Feedstuffs
for cows, milk contamination *155–159*
nutrition **51*
rapeseed *211–217*
Fertilisers
nitrogen, effect on cowpea *150*
rabbit manure *206*
Fibres
crops **193*
textile materials **196*
wool *227–238*
wool or hair, effects of preservation treatments *69, 94, 95*
Fish
fishery products **47*
marine resources **48*
Flavour
bananas, green *224*
tomatoes *21*
Food, pesticide residues **56*
Fractionation, aqueous, of rapeseed *211–217*
Freezing, hides and skins *85*
Fruit, postharvest biology and handling **52*
Fruit worm, tomato pest *15*
Fungi
sorghum stored in underground pits *115–124*
yam storage *6*
Fungicides
hides and skins *99, 105, 107–109, 113*
tomatoes *15*
Fusarium spp., sorghum stored in underground pits *117, 118, 123*

Gadhvi, turmeric cultivar, oil and oleoresin *39–42*
Gamad, tomato cultivar, paste production *13–35*
Gambia, groundnuts attacked by *Elasmolomus sordidus* *187–190*
Garmin K., preservation of hides and skins *82*
Gelatin film test, preservation of hides and skins *89*
Ghana, rabbits *204, 205, 208*
Grain, sorghum storage *115–124*
Groundnuts
  attack by *Elasmolomus sordidus* *187–190*
  feedstuffs for cows, milk contamination *158*
Guinea grass, as food for rabbits *207*
Guizotia abyssinica see Niger seed

Half-cystine, wools *230–232, 237*
Hansenula spp., sorghum stored in underground pits *117, 119*
Harvester, tomato cultivar, paste production *13–35*
Helianthus annuus see Sunflower
Heliothis armigera see Fruit worm
Hides, partially-processed, preservation of *63–92, 93–113*
Humidity
  groundnut stacks *187*
  wool fibres *229, 232–235*
  yam storage *1–11*

India
  rabbits *207*
  rice, paddy processing *161–186*
  turmeric production *38, 44*
Inorganic compounds, preservation of hides and skins *81*
Insecticides
  groundnuts infested by *Elasmolomus sordidus* *188*
  hides and skins *73*
Insects, grain storage in pits *122*
Iran, milk contamination by aflatoxin *155–159*

Jamaica
  green bananas for cooking *219–225*
  rabbits *204*

Kasturi, turmeric cultivar, oil and oleoresin *39–42*
Korea, rabbits *facing 206*
Kuchupudi, turmeric cultivar, oil and oleoresin *39–42*
Kudzu, as food for rabbits *207*

La Bonita, tomato cultivar, paste production *13–35*
Lacatan, green banana variety, cooked *219–225*
Leather
  processing hides and skins *63–92, 93–113*
  quality and yield *72*
  stages in processing *64*
Leather beetle, damage to hides and skins *73*
Liming, hides and skins *88, 94, 96*
Load extension, wool fibres *232–236*

Machinery/equipment *see also* Plant
  drier, rice *174*
  hullers, South Asia *163*
  shellers, South Asia *163*
  sprayers, preservation of hides and skins *70*
Malawi, rabbits *204*
Malta, rabbits *206, 208*
Mammals, small **138*
Management, rice processing *179*
Mangoes, respiration rate *132*
Manometer, apparatus for measurement of plant respiration *127, 128*
Manure, rabbit *206*
Marine resources **48*
Marketing, rice *182*
Marzanino, tomato cultivar, paste production *13–35*
Measurements, wool fibres *230, 236–237*
Meat **49*
  rabbit *205–207*
Merino (sheep), wool, physical and chemical properties *227–238*
Methane **60*
Mexico, rabbits *204*
Milk, aflatoxin contamination *155–159*
Millets **240*
Milling, rice, South Asia *163*
Miraj 26, turmeric cultivar, oil and oleoresin *39–42*
Moisture, grain storage in pits *122*
Montserrat, rabbits *204*

Moulds
grain storage in pits *120*
hides and skins *99, 105*
tomatoes *19, 30, 32*
Mustard seed, fractionation *211, 215*
Mycoflora, sorghum stored in underground pits *115–124*

Niger seed, fractionation *215*
Nigeria
tomato cultivars suitable for paste production *13–35*
wools of Nigerian sheep *227–238*
Nodulisporium africanum, sorghum stored in underground pits *118, 121*
Nutrition, rice processing *172*

Oil
groundnuts infested by *Elasmolomus sordidus* *189*
rapeseed *211–217*
turmeric *37–45*
Oilseeds *see* names of individual seeds
Oleoresin, turmeric *37–45*
Organic compounds, preservation of hides and skins *82*
Oxidizing agents, preservation of hides and skins *79*
Oxygen
grain storage in pits *122*
uptake of oxygen to measure respiration *125–133*

Paddy rice, processing *161–186*
Paecilomyces spp., sorghum stored in underground pits *118, 123*
Panicum maximum see Guinea grass
Paper, materials for papermaking **142*
Parboiling, rice *172*
Paste, tomato, cultivars suitable for paste production in Northern Nigeria *13–35*
Peanuts *see* Groundnuts
Pectin, tomatoes *19–20, 34*
Penicillium spp.
sorghum stored in underground pits *117, 118, 123*
yam storage *6*
Perfumes **58*
Peru, rabbits *204*
Pesticides, residues in food **56*
Pests *see also* Diseases **140*
control **57*
Phytophthora infestans, tomatoes *15*
Piacenza 0164, tomato cultivar, paste production *13–35*
Pickling, hides and skins *88, 97, 102, 112*
Pigments, turmeric *42*
Pits, underground pits for sorghum storage *115–124*
Plant *see also* Machinery/equipment
mills, rice, South Asia *163*
Plants
respiration, apparatus for measurement *125–133*
tropical, under-exploited **241*
Plastics, storage of hides and skins during processing *71*
Polish, rice *168*
Pollution, chemistry of **141*
Polythene bags, use in yam storage *6–10*
Potatoes, respiration rate *131*
Preservation, partially-processed hides and skins *63–92, 93–113*
Processing *see also* under the name of the particular process
rice, paddy processing *161–186*
textiles, wet-processing **194*
Proprietary compounds, preservation of hides and skins *82, 92*
Proteins
cowpea and benniseed *147–154*
rabbit meat *206*
rapeseed, protein concentrate *211–217*
rice *173*
Psophocarpus tetragonolobus see Winged bean
Pueraria phaseoloides see Kudzu
Pulses, tropical **191*
Putrefaction, hides and skins *64*

Quality, rice processing *172*
Quaternary ammonium compounds, preservation of hides and skins *82*

Rabbits, production in tropical developing countries *203–210*
Rainfall, Nigeria *17*
Rajpuri, turmeric cultivar, oil and oleoresin *39–42*
Rapeseed, aqueous fractionation *211–217*
'Red heat', bacteria on salted hides and skins *77*
Reducing agents, preservation of hides and skins *80*

Respiration, measurement, apparatus for *125–133*
Respirometer, inexpensive *125–133*
Rhizopus spp., sorghum stored in underground pits *119, 123*
Rice
  bran as food for rabbits *207*
  paddy processing *161–186*
Roma VF, tomato cultivar, paste production *13–35*
Ronita, tomato cultivar, paste production *13–35*

Safflower, seed, fractionation *215*
St. Lucia, rabbits *204*
Salt
  hides and skins *64, 77, 97–99, 112*
  tomatoes *20, 30–32*
Salting, hides and skins *77*
Sclerotium rolfsii, tomato disease *15*
Septoria lycopersici, tomato disease *14, 18*
Sesame *see* Benniseed
Sesamum indicum see Benniseed
Sheds, for rabbits *206*
Sheep, Nigerian, wools *227–238*
Sierra Leone, protein evaluation of cowpea and benniseed *147–154*
Silos, rice storage *170*
Skins
  partially-processed, preservation of *63–92, 93–113*
  rabbit *206*
Sodium compounds, preservation of hides and skins *79–81*
Solids, tomatoes *19–34*
Solvents, for extraction of turmeric *43*
Sorghum, storage in underground pits *115–124*
Spices, manufacture *39*
Spraying, hides and skins *69, 75*
Sri Lanka, rice, paddy processing *161–186*
Star grass, as food for rabbits *207*
Storage
  feedstuffs for cows, milk contamination *158*
  groundnuts, attack by *Elasmolomus sordidus* *187–190*
  hides and skins *63–92, 93–113*
  rice *169*
  sorghum in underground pits *115–124*
  yams, wound repair *1–11*
Streptomyces spp., sorghum stored in underground pits *117*
Sugandham, turmeric cultivar, oil and oleoresin *39–42*
Sugar, trade, third world **136*
Sugars, tomatoes *19–20, 30, 32*
Sunflower, seed, fractionation *215*
Sweet potatoes, leaves as food for rabbits *207*
Swelling, wool fibres *236–237*

Tanneries, proximity to abattoirs, preservation of hides and skins *67*
Tanzania, rabbits *204, 206*
Taste-testing, cooked green bananas *219–225*
Tear strength, wet-blue hides and skins *105*
Tekurpeta, turmeric cultivar, oil and oleoresin *39–42*
Temne, cowpea variety *148*
Temperatures
  hides and skins, storage *66, 73, 83, 95, 96, 104, 105*
  rabbit production *206*
  tomato production *15*
  wool fibres *229, 232–235*
  yam storage *1–11*
Tetraploid clones, green bananas for cooking *219–225*
Textiles **242*
  identification of materials **196*
  wet-processing **194*
Texture, cooked green bananas *221–225*
Tomatoes, cultivars suitable for paste production, Northern Nigeria *13–35*
Toxicity
  bactericides *90*
  preservatives for hides and skins *70*
  rapeseed, crushed *212*
Trichurus spiralis, sorghum stored in underground pits *117, 119*
Trinidad, rabbits *204*
Turmeric, oil and oleoresin *37–45*

Valery, green banana variety, cooked *219–225*
Vantocil IB, preservation of hides and skins *83*
Vegetable tanning, hides and skins *88, 109*
Vegetables, postharvest biology and handling **52*

Veronaea sp., sorghum stored in underground pits *119, 121*
Vigna unguiculata see Cowpea
Vitamins, rice *173*

Waigon, turmeric cultivar, oil and oleoresin *39–42*
Water, effect on wool fibres *234*
Weight
  groundnuts infested by *Elasmolomus sordidus* *188*
  yams, storage *3*
Wensleydale (sheep), amino acid analyses of wool *230*
Wet-blue, hides and skins *89, 103*
Wet-strength, wool fibres *237*
Winged bean, high-protein crop **137*
Wool, physical and chemical properties of Nigerian sheep wools *227–238*
Wounds, repair of, in yam tubers *1–11*

Yams
  respiration rates *130*
  tubers, wound repair *1–11*
Yankasa (sheep), wool, physical and chemical properties *227–238*
Yields
  rice milling *161–186*
  tomatoes *25–33*

Zaïre, rabbits *204*
Zinc chloride, preservation of hides and skins *81*

Author index

BALDRY, J. and DEMPSTER, F.D.
Green bananas for cooking: a study of taste-panel preferences between certain clones *219–225*

BARLOW, J.R.
Preservation of partially-processed hides and skins: a review. Part 1. Raw stock *63–92*

BARLOW, J.R.
Preservation of partially-processed hides and skins: a review. Part 2. Limed, pickled, wet-blue and crust material *93–113*

BARNETT, R.
see SUZANGAR, M.

CONWAY, J.A.
The significance of *Elasmolomus sordidus* (F.) (Hemiptera, Lygaeidae) attacking harvested groundnuts in The Gambia *187–190*

CROWTHER, P.C.
see QUINN, J.G.

DEMPSTER, F.D.
see BALDRY, J.

ELAH SHAH
see MACFARLANE, N.

EMAMI, A.
see SUZANGAR, M.

FRANCIS, B.J.
see GODFREY-SAM-AGGREY, W.

GODFREY-SAM-AGGREY, W., FRANCIS, B.J. and KAMARA, C.S.
The protein evaluation of cowpea (*Vigna unguiculata*) and benniseed (*Sesamum indicum*) from Sierra Leone *147–154*

HARRISS, B.
Paddy processing in India and Sri Lanka: a review of the case for technological innovation *161–186*

KAMARA, C.S.
see GODFREY-SAM-AGGREY, W.

KAZMI, M.S. and MATHIESON, A.R.
Some physical and chemical properties of Nigerian sheep wools *227–238*

KRISHNAMURTHY, N., MATHEW, A.G., NAMBUDIRI, E.S., SHIVASHANKAR, S., LEWIS, Y.S. and NATARAJAN, C.P.
Oil and oleoresin of turmeric *37–45*

LEWIS, Y.S.
see KRISHNAMURTHY, N.

MCFARLANE, M.
see MACFARLANE, N.

MACFARLANE, N., ELAH SHAH and MCFARLANE, M.
Aqueous fractionation of rapeseed *211–217*

MATHEW, A.G.
see KRISHNAMURTHY, N.

MATHIESON, A.R.
see KAZMI, M.S.

NAMBUDIRI, E.S.
see KRISHNAMURTHY, N.

NATARAJAN, C.P.
see KRISHNAMURTHY, N.

NILES, E.V.
The mycoflora of sorghum stored in underground pits in Ethiopia *115–124*

OWEN, J.E.
Rabbit production in tropical developing countries: a review *203–210*

PASSAM, H.C., READ, S.J. and RICKARD, J.E.
Wound repair in yam tubers: the dependence of storage procedures on the nature of the wound and its repair *1–11*

PASSAM, H.C.
see PHILLIPS, D.E.

PHILLIPS, D.E. and PASSAM, H.C.
A simple, inexpensive apparatus for the continuous measurement of respiration by oxygen uptake *125–133*

QUINN, J.G. and CROWTHER, P.C.
An evaluation of tomato cultivars suitable for paste production in Northern Nigeria *13–35*

READ, S.J.
see PASSAM, H.C.

RICKARD, J. E.
see PASSAM, H.C.

SHIVASHANKAR, S.
see KRISHNAMURTHY, N.

SUZANGAR, M., EMAMI, A. and BARNETT, R.
Aflatoxin contamination of village milk in Isfahan, Iran *155–159*

Book reviews index

ARE, L.A. and GWYNNE-JONES, D.R.G.
Cacao in West Africa *56*

BENN, F.R. and MCAULIFFE, C.A. (Editors)
Chemistry and pollution *141*

COLE, D.J.A. and LAWRIE, R.A. (Editors)
Meat: proceedings of 21st Easter School in Agricultural Science, University of Nottingham *49*

COLE, H.H. and RONNING, M. (Editors)
Animal agriculture: the biology of domestic animals and their use by man *51*

DEMPSEY, J.M.
Fiber crops *193*

DÜLFER, E.
Operational efficiency of agricultural co-operatives in developing countries *135*

FARNFIELD, C.A. and PERRY, D.R. (Editors)
Identification of textile materials *196*

FLETCHER, W.W.
The pest war *57*

GOLLEY, F.B., PETRUSEWICZ, K. and RYSKOWSKI, L. (Editors)
Small mammals: their productivity and population dynamics *138*

HAARD, N.F. and SALUNKHE, D.K. (Editors)
Postharvest biology and handling of fruits and vegetables *52*

HALL, A.J.
The standard handbook of textiles *242*

Information sources on the canning industry (UNIDO) *198*

JAMES, R.W.
Fragrance technology, synthetic and natural perfumes *58*

KREUZER, R.
Fishery products *47*

MSANGI, A.S. and GRIFFIN, J.J. (Editors)
Proceedings of an International Conference on marine resources development in Eastern Africa *48*

New techniques in wet-processing of textiles with emphasis on cotton (UNIDO) *194*

ORDISH, G.
The constant pest *140*

PARHAM, R.A. and KAUSTINEN, H.M.
Papermaking materials: an atlas of electron micrographs *142*

PAYER, C. (Editor)
Commodity trade of the Third World *136*

Pesticide residues in food (FAO/WHO) *56*

PYLE, L. and FRAENKEL, P. (Compilers)
Methane: proceedings of an Intermediate Technology Development Group (ITDG) seminar *60*

RACHIE, K.O.
The millets: importance, utilization and outlook *240*

SIMMONDS, N.W. (Editor)
Evolution of crop plants *239*

SMARTT, J.
Tropical pulses *191*

SWAN, H. and LEWIS, D. (Editors)
Proceedings of the nutrition conference for feed manufacturers: 8 *51*

Underexploited tropical plants with promising economic value (US National Research Council) *241*

The winged bean: a high-protein crop for the tropics (US National Research Council) *137*

WOOD, G.A.R.
Cocoa *53*

List of plates, figures and tables

Wound repair in yam tubers: the dependence of storage procedures on the nature of the wound and its repair

Figure 1 Weight losses in yam tubers following damage by bisection or peeling *4*

Figure 2 Relationship of weight loss to percentage of tuber excised at 25°C *5*

Figure 3 Effect on weight loss of lowering the storage temperature after curing for 7 days at 35°C *6*

Figure 4 Effect of different curing times on the rate of weight loss by intact and bisected yam tubers *7*

Figure 5 Prolonged storage of bisected yam tubers wrapped or sealed with polythene *8*

Figure 6 Section through the healed surface of a bisected yam tuber *9*

Table 1 Rate of healing of deep wounds at different storage temperatures in relation to rate of pathogen attack *7*

An evaluation of tomato cultivars suitable for paste production in Northern Nigeria

Plate I Radial cracking: cvs 'Battipaglia 0557' and 'Barese', cvs '18/P' and 'Piacenza 0164' *facing 14*

Plate II Severe radial and concentric cracking: cvs 'VFN8', 'VF 145-21-4' and 'Geneva II' *between 14 and 15*

Plate III cvs 'Cirio 49' and 'Cirio 56', cvs 'Roma VF' and 'Ronita' *between 14 and 15*

Plate IV cv 'Harvester', cv 'Gamad' *facing 15*

Figure 1 Tomato trial sites in relation to rainfall *17*

Table 1 Cultivars eliminated during the 1967–69 screening trials and their main defects *24*

Table 2 Yield data, fruit weight and scores for defects in tomatoes grown in the 1969–70 dry-season trials at Samaru *25*

Table 3 Yield data, fruit weight and scores for defects in tomatoes grown in the 1970 wet-season trials at Samaru *26*

Table 4 Cultivars eliminated during the 1969–70 dry-season trial and the 1970 wet-season trial at Samaru and their defects *27*

Table 5 Marketable yields of 13 processing cultivars grown during the wet season at eight locations in Northern Nigeria in 1969–70 *28*

Table 6 Marketable yields of 10 processing cultivars grown under irrigation in the dry season at eight locations in Northern Nigeria in 1969 and 1970 *29*

Table 7 Analysis of Nigerian tomato pastes processed in 1972 *30*

Table 8 Yield data for tomatoes processed in Factory A in 1972 *31*

Table 9 Analysis of Nigerian tomato pastes processed in 1973 and of a commercial Italian paste *32*

Table 10 Yield data for tomatoes processed in Factory B in 1973 *33*

Table 11 Pectin content of Nigerian and USA tomato pastes *34*

Table 12 Solids contents of the fruits of tomato cultivars grown in Nigeria *34*

Oil and oleoresin of turmeric

Table 1 Properties of a commercial sample of turmeric oil *40*

Table 2 Yields of volatile oil, extractives and curcumin from turmeric cultivars *41*

Table 3 Characteristics of turmeric pigments as shown by thin-layer chromatography *42*

Table 4 Efficiency of different solvents for extraction of turmeric *43*

Table 5 Soxhlet extraction of turmeric powder with acetone for different periods *43*

Preservation of partially-processed hides and skins: a review. Part 1. Raw stock

Figure 1 Outline of leather manufacture and the possibilities of storing partially-processed material *65*

Table 1 Insecticides used commercially on dried hides and skins *73*

Table 2 Evaluation of insecticides for use on dried hides and skins *74*

Table 3 Infestation of *Dermestes maculatus* after nine weeks' storage *75*

Table 4 Additives to salt for protection against 'red heat' *78*

Preservation of partially-processed hides and skins: a review. Part 2. Limed, pickled, wet-blue and crust material

Figure 1 Digestion of collagen as a function of temperature and time *95*

Table 1 Effects of incorrect acid and salt levels in the pickle liquor on skin quality *98*

Table 2 Results of fungicide evaluations on pickled pelts *100*

Table 3 Suggested Indian specifications for wet-blue hides and skins intended for export *104*

Table 4 Cost-effectiveness of fungicides for protecting wet-blue leathers *107*

Table 5 Cost-effectiveness of fungicides for protecting vegetable-tanned leathers against mould growth for six months at 25°C *109*

The mycoflora of sorghum stored in underground pits in Ethiopia

Table 1 Species isolated and estimation of the levels of each. Results are combined for initially completely filled and half-filled pits *118 and 119*

Table 2 Record of the occurrences of all species over the whole of the sampling period *120*

A simple, inexpensive apparatus for the continuous measurement of respiration by oxygen uptake

Plate I The respirometer *facing 127*

Figure 1 Schematic diagram of respirometer *facing 126*

Figure 2 Circuit diagram of the transformer/rectifier for supplying 10 millivolts D.C. to the chart recorder *128*

Figure 3 Respiration rate of sprouting potato tubers at 25°C *131*

Figure 4 The respiration climacteric of mangoes and bananas, and the monitoring of oxygen levels in the respiration chamber *132*

Table 1 Effect of air circulation rate within the respirometer on the respiration rate of cut potato tubers at 25°C *129*

Table 2 Respiration rates of tissue discs from dormant and sprouting yams, as measured by the present apparatus and a Gilson Differential Respirometer *130*

The protein evaluation of cowpea (*Vigna unguiculata*) and benniseed (*Sesamum indicum*) from Sierra Leone

Table 1 Effect of nitrogen fertilization levels on cowpea nitrogen, protein, lysine and sulphur-amino acids *150*

Table 2 Amino acid content of four benniseed varieties, and of five cowpea samples from different N fertilization treatments *151*

Table 3 Provisional amino acid scoring pattern compared with levels of essential amino acids in benniseed and cowpea, with limiting amino acids and chemical scores *152*

Aflatoxin contamination of village milk in Isfahan, Iran

Table 1 Aflatoxin contamination of milk collected from large-scale producers and villages around Isfahan *157*

Paddy processing in India and Sri Lanka: a review of the case for technological innovation

Table 1 Percentage outturns by weight of rice from paddy *165*

Table 2 Comparative percentage outturn superiority *167*

Table 3 Percentage bran outturns *169*

Table 4 Estimates of paddy losses in a traditional rice processing system *171*

Table 5 B vitamins and protein content of brown, raw and parboiled rice *173*

Table 6 Standardized per-unit milling costs from 13 operating accounts in S. India and Sri Lanka *175*

The significance of *Elasmolomus sordidus* (F.) (Hemiptera-Lygaeidae) attacking harvested groundnuts in The Gambia

Table 1 Weight losses in groundnuts attacked by *Elasmolomus sordidus* *188*

Table 2 Chemical analyses of groundnuts attacked by *Elasmolomus sordidus* *189*

Rabbit production in tropical developing countries: a review

Plate I Rabbit production in Algeria illustrative of simple housing constructed from local materials and of forage based feeding *facing 206*

Plate II Rabbit production in Korea *facing 206*

Plate III The National Rabbit Project at Kwabenya, Ghana *facing 207*

Plate IV A basket cage made of interwoven split bamboo at Bunda College, Malawi *facing 207*

Aqueous fractionation of rapeseed

Table 1 Yield and composition of whole rapeseed and its fractionation products *213*

Table 2 Distribution of rapeseed constituents in the oilseed fractions and percentage loss *214*

Green bananas for cooking: a study of taste-panel preferences between certain clones

Table 1 Penetrometer data, cooking times and apparent maturity *222*

Table 2 Panel preferences *222*

Table 3 Percentage frequencies of preferences between clones *223*

Table 4 Overall preference frequencies of cooked fruit and performances as dessert fruit *223*

Table 5 Analysis of assessors' comments *224*

Some physical and chemical properties of Nigerian sheep wools

Table 1 Amino acid composition of five Nigerian wools *230*

Table 2 Comparison of the amino acid composition of Merino 64's wool from Nigeria and Australia *231*

Table 3 Effects of temperature and humidity on the breaking properties of three wools *233*

Table 4 Effects of absorbates on the breaking properties of three wools at 22°C *234*

Table 5 Load-extension data for Merino and crossbred wools as affected by water *234*

Table 6 Load-extension data for Merino and crossbred wools as affected by absorbates *235*

Table 7 Diameters of dry and wet wool fibres at 22°C *236*

Table 8 Maximum swelling volumes of three wools as affected by various swelling agents at 22°C *236*

Table 9 Relation of half-cystine content to the work to stretch 20% for four wet wools *237*